


NOTE:
1- LEAD LINED PANELS SHALL BE CONSTRUCTED FROM SINGLE UNIMPURIFIED SHEET. FREE OF COUSE INCLUSIONS, FINGERES, VOIDS AND ALL OTHER DETRIMENTAL DEFECTS. MATERIAL SHALL BE LEAD GRADE "C" TO COMPLY WITH FEDERAL SPECIFICATION 48-201. PATCH SHALL MEET ALL APPLICABLE FEDERAL, STATE AND LOCAL RADIATION GUIDE LINES: NBS HANDBOOK 111 AND 114, AND NBS AND DOE ORDER 5460.11



SIDING PREPARATION
TYPICAL DETAIL
SCALE: 1/2"=1'

PROJECT NUMBER		REVISIONS		MATERIAL & SPACE		DATE	
A2363200		PARTS LIST		ARGONNE NATIONAL LABORATORY		ADVANCED PHOTON SOURCE	
R. SWANSON		T. SANCHEZ		T.M. KUZAY		HO ENTRY PORT	
T. SANCHEZ		T. SANCHEZ		T. SANCHEZ		1" Pb X 3' x 1"	
T. SANCHEZ		T. SANCHEZ		T. SANCHEZ		PLUS	
AS NOTED		NONE		NONE		P41050903-850503-00	